


LED STRIPS



LUCOLED

Experience Lighting

February 2026

Lucoled LED strips

INTRODUCTION	03
--------------	----

LED Prism S strip	04
-------------------	----

COB strips 4 mm	05
-----------------	----

COB strips 8 mm ErP compliant	06
-------------------------------	----

COB strips 8 mm free cutting	07
------------------------------	----

COB strips 8 mm Tuneable White	08
--------------------------------	----

COB strips 10 mm high output	09
------------------------------	----

COB strips 10 mm IP65	10
-----------------------	----

COB strips 12 mm RGBW	11
-----------------------	----



LUCOLED

Experience Lighting

LUCOLED: NOT JUST ANOTHER LED COMPANY

PAY FOR PERFORMANCE

At LucoLED we operate at the simple principle that the customer should only pay for product performance and not for the overhead and excessive margins most major brands add to their cost.

It is LucoLED's mission to provide fit for purpose, reliable and efficient lighting solutions for visual communication and brand identity.

EXPERIENCE

LucoLED is based on over 25 years of experience in the signage industry and has developed an in depth knowledge of the basic needs of the market. Backed by industry leading design and production facilities LucoLED provides high quality products with exceptional performance and warranties.

LucoLED's ODM production uses state of the art equipment and has extensive R&D and testing facilities.

Besides a range of standard products LucoLED can also offer tailor made solutions with minimum lead time.

COMPLETE SOLUTION

LucoLED offers a complete system solution for letters, light boxes, flexible and linear accents. Including their own full range power supplies. LucoLED offers an extended system warranty up to the lifetime of the sign as we believe in our products.

GLOBAL REACH

LucoLED products are available globally through a distribution and logistics network covering over 80 countries. With offices in Belgium, The Netherlands and India and seven warehouse locations in various countries we optimise logistics and guarantee a short delivery time for local customers.

REFERENCES

LucoLED products are used by many international brands as Shell, Lidl, Starbucks, ESSO, UNO, PUMA, Pizza Hut, Mc Donald's, BP and many more.

INNOVATION

LucoLED continues to bring innovations to the LED sign industry. Examples are Lucoline, high efficiency optics, intelligent controls for dimming, layout software tools for Lucoline, lightboxes and channel letters.



LED Prism S-Strip

Flexible S-shape LED strip with micro-prism lenses suitable for channel letter applications between 30 and 60 mm deep, including block acrylic. High CRI. Ultra narrow binning, McAdams step 3.

SPECIFICATIONS


- Cuttable every 25 mm
- Packed per 5 m reel.
- 3 Year Warranty
- Beam angle > 150°
- UL, CE and RoHS compliant
- 12 V DC
- Operating temperature -25°~+60°C
- IP20



PRODUCT DATA

Item no	LED colour	CCT (K)	CRI	SDCM	Power (W/m)	Luminous Flux (lm/m)	Effcacy (lm/W)
LSSP-W30-5000-IP20	White	3000	>80	≤ 3	5.5	528	96
LSSP-W65-5000-IP20	White	6500	>80	≤ 3	5.5	550	100

DIMENSIONS






COB Strips 4 mm

Narrow, 4 mm wide, Chip On Board (COB) strips for linear lighting without visible spots and side lighting light sheet applications. High CRI. Ultra narrow binning, McAdams step 3.

SPECIFICATIONS


- Cuttable every 33 mm
- Packed per 5 m reel.
- 3 Year Warranty
- 480 Chip On Board LED's per meter
- Beam angle > 140°
- UL, CE and RoHS compliant
- 24 V DC
- Operating temperature -25°~+60°C
- IP20



PRODUCT DATA

Item no	LED colour	CCT (K)	CRI	SDCM	Power (W/m)	Luminous Flux (lm/m)	Effcacy (lm/W)
COB480-4-W27	White	2700	>90	≤ 3	5.5	412	75
COB480-4-W40	White	4000	>90	≤ 3	5.5	522	95
COB480-4-W65	White	6500	>90	≤ 3	5.5	522	95

DIMENSIONS






COB Strips 8 mm ErP compliant

8 mm wide, Chip On Board (COB) strips for linear lighting without visible spots. High efficiency, High CRI, ErP compliant. Ultra narrow binning, McAdams step 3.

SPECIFICATIONS


- Cuttable every 31 mm
- Packed per 5 m reel.
- 5 Year Warranty
- 512 Chip On Board LED's per meter
- Beam angle > 135°
- UL, CE and RoHS compliant
- 24 V DC
- Operating temperature -25°~+60°C
- IP20



PRODUCT DATA

Item no	LED colour	CCT (K)	CRI	SDCM	Power (W/m)	Luminous Flux (lm/m)	Effcacy (lm/W)
COB512-8-W27	White	2700	>90	≤ 3	12	1044	87
COB512-8-W40	White	4000	>90	≤ 3	12	1236	103
COB512-8-W65	White	6500	>90	≤ 3	12	1212	101

DIMENSIONS




COB Strips 8 mm free cuttable

8 mm wide, Chip On Board (COB) strips for linear lighting without visible spots. Free cuttable for most flexible applications. High CRI. Ultra narrow binning, McAdams step 3.

SPECIFICATIONS


- Free cuttable every 1 mm
- Packed per 10 m reel.
- 3 Year Warranty
- 480 Chip On Board LED's per meter
- Beam angle > 135°
- UL, CE and RoHS compliant
- 24 V DC
- Operating temperature -25°~+60°C
- IP20



PRODUCT DATA

Item no	LED colour	CCT (K)	CRI	SDCM	Power (W/m)	Luminous Flux (lm/m)	Effcacy (lm/W)
COB480-8-W40	White	4000	>90	≤ 3	10	550	55

DIMENSIONS





2700K

4000K

5000K



6000K

COB Strips 8 mm tuneable white

8 mm wide, Chip On Board (COB) strips for linear lighting without visible spots. Tuneable white from 2700K to 6500K for human centric lighting and best colour matching per application. High CRI. Ultra narrow binning, McAdams step 3.

SPECIFICATIONS


- Cuttable every 50 mm
- Packed per 5 m reel.
- 3 Year Warranty
- 560 Chip On Board LED's per meter
- Beam angle > 135°
- UL, CE and RoHS compliant
- 24 V DC
- Operating temperature -25°~+60°C
- IP20



PRODUCT DATA

Item no	LED colour	CCT (K)	CRI	SDCM	Power (W/m)	Luminous Flux (lm/m)	Effcacy (lm/W)
COB560-8-TW	White	2700 only	>90	≤ 3	7	480	69
	White	6500 only	>90	≤ 3	7	600	86
	White	4600 (2700 and 6500 full)	>90	≤ 3	14	1080	77

DIMENSIONS



ACCESSORIES

Item no	Description
LC-RFWIFI-4CH	LED controller RF&WIFI 4x5A
LC-DMX-4CH	LED controller DMX 4x8A
LC-RF-CT	LED Remote RF CT 6 zones TW




COB Strips 10 mm high output ErP

10 mm wide, Chip On Board (COB) strips for linear lighting without visible spots. High output for general lighting applications. High efficacy ErP compliant. Ultra narrow binning, McAdams step 3.

SPECIFICATIONS


- Cuttable every 33 mm
- Packed per 5 m reel.
- 5 Year Warranty
- 720 Chip On Board LED's per meter
- Beam angle > 140°
- UL, CE, ErP and RoHS compliant
- 24 V DC
- Operating temperature -25°~+60°C
- IP20



PRODUCT DATA

Item no	LED colour	CCT (K)	CRI	SDCM	Power (W/m)	Luminous Flux (lm/m)	Efficacy (lm/W)
COB720-10-W40	White	4000	>90	≤ 3	20	2040	102
COB720-10-W65	White	6500	>90	≤ 3	20	2000	100

DIMENSIONS






COB Strips 10 mm IP65 waterproof

10 mm wide, Chip On Board (COB) strips for linear lighting without visible spots in damp or wet locations. High CRI. Ultra narrow binning, McAdams step 3.

SPECIFICATIONS

- Cuttable every 50 mm
- Packed per 5 m reel.
- 3 Year Warranty
- 320 Chip On Board LED's per meter
- Beam angle > 135°
- UL, CE and RoHS compliant
- 24 V DC
- Operating temperature -25°~+60°C
- IP65




PRODUCT DATA

Item no	LED colour	CCT (K)	CRI	SDCM	Power (W/m)	Luminous Flux (lm/m)	Effcacy (lm/W)
COB320-10-IP65-W27	White	2700	>90	≤ 3	10	650	65
COB320-10-IP65-W40	White	4000	>90	≤ 3	10	710	71
COB320-10-IP65-W65	White	6500	>90	≤ 3	10	720	72

ACCESSOIRES

Item no		Description	Quantity
COB320-10-IP65-CS	COB320 strip IP 65	Cable set	bag of 10
COB320-10-IP65-EC		End Cap	bag of 10
COB320-10-IP65-FC		Front Cap	bag of 10

DIMENSIONS





COB Strips 12 mm RGBW

12 mm wide, Chip On Board (COB) strips for linear lighting without visible spots.
RGBW for advanced colour settings with true white.

SPECIFICATIONS

- Cuttable every 71.4 mm
- Packed per 5 m reel.
- 3 Year Warranty
- 784 Chip On Board LED's per meter
- Beam angle > 140°
- UL, CE and RoHS compliant
- 24 V DC
- Operating temperature -25°~+60°C
- IP20




ACCESSORIES

Item no	Description
LC-RF-4CH-WP	LED controller RF 4x5A IP67
LC-RFWIFI-4CH	LED controller RF&WIFI 4x5A
LC-DMX-4CH-WP	LED controller DMX 4x5A IP67
LC-DMX-4CH	LED controller DMX 4x8A
LC-RF-REMOTE	LED Remote RF RGBW

PRODUCT DATA

Item no	LED colour	WL (nm) CCT (K)	CRI	SDCM	Power (W/m)	Luminous Flux (lm/m)	Effcacy (lm/W)
COB784-12-RGBW40	red	620-630			4	136	34
	green	520-525			4	364	91
	blue	455-560			4	84	21
	white	4000	>90	≤ 3	4	356	89
	RGBW full				16	940	59

DIMENSIONS





LUCOLED

Experience Lighting

BELGIUM

Venusstraat 5
3290 Diest
Belgium

www.lucoled.com

☎: +32 (0) 13292829
✉: info@lucoled.com

THE NETHERLANDS

Rotterdamseweg 388F
2629 HG Delft
The Netherlands

www.lucoled.com

☎: +31 (0) 153649186
✉: info@lucoled.com

LUCOLED INDIA PVT LTD.

Gate No.725, Gadewadi
Lavasa Link Road, Urawade
Taluka Mulshi, Pune 412115
India

www.lucoled.in

☎: +91 8484056019
✉: info@lucoled.in